Technical Data Sheet

Keen - Women's Flint II (Steel Toe)

Brand / manufacturer	Keen Footwear
Product category	FOOTWEAR
Product codes	7 / Magnet/Rose / Regular — SKU: 1023233MR-7 7 / Magnet/Rose / Wide — SKU: 1023233MR-7W 7 / Cascade Brown/Surf Spray / Regular — SKU: 1023232CB-7 7 / Cascade Brown/Surf Spray / Wide — SKU: 1023232CB-7W 7.5 / Magnet/Rose / Regular — SKU: 1023233MR-7.5 7.5 / Magnet/Rose / Wide — SKU: 1023233MR-7.5W 7.5 / Cascade Brown/Surf Spray / Regular — SKU: 1023232CB-7.5 — UPC: 191190542644 7.5 / Cascade Brown/Surf Spray / Wide — SKU: 1023232CB-7.5W 8 / Magnet/Rose / Regular — SKU: 1023233MR-8 8 / Magnet/Rose / Wide — SKU: 1023233MR-8W — UPC: 191190542378 8 / Cascade Brown/Surf Spray / Regular — SKU: 1023232CB-8 — UPC: 191190542620 8 / Cascade Brown/Surf Spray / Wide — SKU: 1023232CB-8W 8.5 / Magnet/Rose / Regular — SKU: 1023233MR-8.5 8.5 / Magnet/Rose / Wide — SKU: 1023233MR-8W 8.5 / Cascade Brown/Surf Spray / Regular — SKU: 1023232CB-8.5 — UPC: 191190542606 8.5 / Cascade Brown/Surf Spray / Wide — SKU: 1023232CB-8.5W 9 / Magnet/Rose / Regular — SKU: 1023233MR-9 9 / Magnet/Rose / Wide — SKU: 1023233MR-9W — UPC: 191190542330 9 / Cascade Brown/Surf Spray / Regular — SKU: 1023232CB-9 — UPC: 191190542583 9 / Cascade Brown/Surf Spray / Wide — SKU: 1023232CB-9W 9.5 / Magnet/Rose / Regular — SKU: 1023233MR-9.5 9.5 / Magnet/Rose / Wide — SKU: 1023233MR-9.5W 9.5 / Cascade Brown/Surf Spray / Regular — SKU: 1023232CB-9.5 — UPC: 191190542569 9.5 / Cascade Brown/Surf Spray / Wide — SKU: 1023232-9.5W 10 / Magnet/Rose / Regular — SKU: 1023233MR-10 — UPC: 191190542439 10 / Magnet/Rose / Wide — SKU: 1023233MR-10W 10 / Cascade Brown/Surf Spray / Regular — SKU: 1023232CB-10 — UPC: 191190542675 10 / Cascade Brown/Surf Spray / Wide — SKU: 1023232CB-10W 10.5 / Magnet/Rose / Regular — SKU: 1023233MR-10.5 10.5 / Magnet/Rose / Wide — SKU: 1023233MR-10.5W 10.5 / Cascade Brown/Surf Spray / Regular — SKU: 1023232CB-10.5 10.5 / Cascade Brown/Surf Spray / Wide — SKU: 1023232CB-10.5 11 / Magnet/Rose / Regular — SKU: 1023233MR-11 11 / Magnet/Rose / Wide — SKU: 1023233MR-11W 11 / Cascade Brown/Surf Spray / Regular — SKU: 1023232CB-11 11 / Cascade Brown/Surf Spray / Wide — SKU: 1023232CB-11W 11.5 / Magnet/Rose / Regular — SKU: 1023233 11.5 / Magnet/Rose / Wide — SKU: 1023233 11.5 / Cascade Brown/Surf Spray / Regular — SKU: 1023232 11.5 / Cascade Brown/Surf Spray / Wide — SKU: 1023232 ...and 16 more

Product description

KEEN Utility women's Flint II hiking-inspired work shoe with steel safety toe. Reinvented with our innovative KEEN.ReGEN cushioning midsole and a highly slip-resistant, rubber outsole, this hiking-inspired work shoe works

hard for you.

Sizes 7 to 15; widths: Regular, Wide. Colours: Magnet/Rose, Cascade Brown/Surf Spray.

Key benefits

- Left and right asymmetrical steel toes offering maximum comfort and unobtrusive fit
- Built on a women's specific footwear last for improved fit and comfortability
- Oil- and slip-resistant non-marking rubber outsole
- Electrical hazard (EH) rated - providing a secondary source of protection in case of accidental contact with live electrical circuits
- Siped outsole disperses liquids quickly for increased traction
- Reflective webbing for additional safety and visibility
- External Stability Shank (ESS) for midfoot support
- KEEN.ReGEN: A lightweight, compression-resisting midsole providing 50% more energy return than standard EVA foam
- Shellback heel support
- Removable metatomical PU footbed
- **Left and Right Asymmetrical Safety Toe**: Uniquely anatomically correct steel, aluminum, & composite toe designs provide a roomier toe box and maximum comfort. Meets ASTM F2412-11 and F2413-11 I/75 and C/75 Standards.
- **Electrical Hazard**: Provides a secondary source of protection when outsole accidentally comes in contact with live electrical circuits, helping to reduce the potential of electric shock.

Specifications

Weight	18.9 oz / 537.2 g
Materials	Water Resistant Leather/Mesh Upper; Oil- and slip-resistant non-marking rubber outsole; KEEN.ReGEN: A lightweight, compression-resisting midsole providing 50% more energy return than standard EVA foam; Mesh & Moisture-Wicking Textile Lining; Removable metatomical PU footbed
Toe Type	Steel Toe
Duty Type	Light Duty
Safety	Meets ASTM F1677-96 MARK II Non-Slip Testing Standards; Meets ASTM F2412-17 and F2413-17 F I/75 C/75 EH Standards; Meets ASTM F2913-17 SATRA Non-Slip Testing Standards; Water Resistant; Certified Slip Resistant (Mark II)

Product information summarized from the manufacturer (KEEN Utility / keenfootwear.com).

Information source

Russmill Safety product listing — https://www.russmillsafety.com/products/womens-flint-ii-steel-toe

Supplier / distributor contact

Supplier / distributor	Russmill Safety
Store	A1 Queen’s Highway, Suite 2–3, Freeport, Grand Bahama F42190, The Bahamas
USA warehouse (fulfilment)	1526 NW 23rd Avenue, Fort Lauderdale, FL 33311
Phone	Bahamas customer service +1 242 351 7623 · USA +1 954 333 8542 · Freeport store +1 242 688 3336
Email	customerservice@russmillsafety.com (customer service) · sales@russmillsafety.com (sales enquiries)
Website	https://www.russmillsafety.com